

CERTIFICATE

No. U6 092974 0004 Rev. 00

Holder of Certificate: Ningbo Skyzon Energy Co.,Ltd.

No.19,KeSan Road,
315600 Ninghai, Ningbo
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: Luminaires for road and street lighting
LED Street Light

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 704021701440-02

Date, 2020-07-17



(Yin Ji)

CERTIFICATE

No. U6 092974 0004 Rev. 00

Model(s):

EL-SL11(Mini)-20, EL-SL11(Mini)-30, EL-SL11(Mini)-40,
 EL-SL11(S)-50, EL-SL11(S)-60, EL-SL11(S)-70,
 EL-SL11(S)-80, EL-SL11(M)-90, EL-SL11(M)-100,
 EL-SL11(M)-120, EL-SL11(L)-150, EL-SL11(L)-160,
 EL-SL11(L)-180, EL-SL11(L)-200, EL-SL11(L)-220,
 EL-SL11(L)-240, EL-SL68(Mini)-20, EL-SL68(Mini)-30,
 EL-SL68(Mini)-40, EL-SL68(S)-40, EL-SL68(S)-50,
 EL-SL68(S)-60, EL-SL68(S)-70, EL-SL68(S)-80,
 EL-SL68(M)-90, EL-SL68(M)-100, EL-SL68(M)-120,
 EL-SL68(L)-150, EL-SL68(L)-160, EL-SL68(L)-180,
 EL-SL68(L)-200, EL-SL68(L)-220, EL-SL68(L)-240,
 EL-SL20(S)-20, EL-SL20(S)-30, EL-SL20(S)-40,
 EL-SL20(M)-60, EL-SL20(M)-80, EL-SL20(M)-90,
 EL-SL20(L)-100, EL-SL20(L)-120, EL-SL20(L)-150,
 EL-SL20(L)-160, EL-SL20(L)-180, EL-SL08(1S)-20,
 EL-SL08(1S)-30, EL-SL08(1S)-40, EL-SL08(1S)-50,
 EL-SL08(1L)-60, EL-SL08(1L)-70, EL-SL08(1L)-80,
 EL-SL08(2)-90, EL-SL08(2)-100, EL-SL08(2)-120,
 EL-SL08(2)-150, EL-SL08(3)-150, EL-SL08(3)-180,
 EL-SL08(3)-200, EL-SL09(1S)-30, EL-SL09(1L)-50,
 EL-SL09(1L)-60, EL-SL09(1L)-80, EL-SL09(2)-100,
 EL-SL09(2)-120, EL-SL09(3)-120, EL-SL09(3)-150,
 EL-SL09(3)-180, EL-SL09(4)-200, EL-SL09(4)-240,
 EL-SL09(4)-280, EL-SL10(1)-30, EL-SL10(1)-40,
 EL-SL10(1)-50, EL-SL10(1)-60, EL-SL10(1)-70,
 EL-SL10(1)-80, EL-SL10(2)-90, EL-SL10(2)-100,
 EL-SL10(2)-120, EL-SL10(3)-150, EL-SL10(3)-180,
 EL-SL10(3)-200, EL-SL18MA-20, EL-SL18MA-30,
 EL-SL18MA-40, EL-SL18MA-50, EL-SL18MA-60,
 EL-SL18MA-70, EL-SL18MA-80, EL-SL18MA-90,
 EL-SL18MB-20, EL-SL18MB-30, EL-SL18MB-40,
 EL-SL18MB-50, EL-SL18MB-60, EL-SL18LA-90,
 EL-SL18LA-100, EL-SL18LA-120, EL-SL18LA-150,
 EL-SL18LA-160, EL-SL18LB-80, EL-SL18LB-90,
 EL-SL18LB-100, EL-SL18LB-120, EL-SL58(S)-20,
 EL-SL58(S)-30, EL-SL58(S)-40, EL-SL58(S)-50,
 EL-SL58(S)-60, EL-SL58-30, EL-SL58-40, EL-SL58-50,
 EL-SL58-60, EL-SL58-70, EL-SL58-80, EL-SL58-90,
 EL-SL58-100, EL-SL58-120, EL-SL01-20, EL-SL01-30,
 EL-SL01-40, EL-SL01-50, EL-SL01-60, EL-SL01-80,
 EL-SL01-100, EL-SL20A(S)-30, EL-SL20A(S)-40,
 EL-SL20A(S)-50, EL-SL20A(M)-60, EL-SL20A(M)-80,
 EL-SL20A(M)-90, EL-SL20A(L)-100, EL-SL20A(L)-120,
 EL-SL20A(L)-150, EL-SL20A(L)-160, EL-SL607-15,
 EL-SL607-20, EL-SL607-25, EL-SL607-30

Parameters:

Rated voltage: 220-240V~
 Rated frequency: 50/60Hz
 Rated power: See model list
 Protection class: Class I
 Degree of protection: IP 66
 ta: 50°C
 IK: 10

Model	Rated power (W)
EL-SL11(Mini)-20	20
EL-SL11(Mini)-30	30

CERTIFICATE

No. U6 092974 0004 Rev. 00

EL-SL11(Mini)-40	40
EL-SL11(S)-50	50
EL-SL11(S)-60	60
EL-SL11(S)-70	70
EL-SL11(S)-80	80
EL-SL11(M)-90	90
EL-SL11(M)-100	100
EL-SL11(M)-120	120
EL-SL11(L)-150	150
EL-SL11(L)-160	160
EL-SL11(L)-180	180
EL-SL11(L)-200	200
EL-SL11(L)-220	220
EL-SL11(L)-240	240
EL-SL68(Mini)-20	20
EL-SL68(Mini)-30	30
EL-SL68(Mini)-40	40
EL-SL68(S)-40	40
EL-SL68(S)-50	50
EL-SL68(S)-60	60
EL-SL68(S)-70	70
EL-SL68(S)-80	80
EL-SL68(M)-90	90
EL-SL68(M)-100	100
EL-SL68(M)-120	120
EL-SL68(L)-150	150
EL-SL68(L)-160	160
EL-SL68(L)-180	180
EL-SL68(L)-200	200
EL-SL68(L)-220	220
EL-SL68(L)-240	240
EL-SL20(S)-20	20
EL-SL20(S)-30	30
EL-SL20(S)-40	40
EL-SL20(M)-60	60
EL-SL20(M)-80	80
EL-SL20(M)-90	90
EL-SL20(L)-100	100
EL-SL20(L)-120	120
EL-SL20(L)-150	150
EL-SL20(L)-160	160
EL-SL20(L)-180	180
EL-SL08(1S)-20	20
EL-SL08(1S)-30	30
EL-SL08(1S)-40	40
EL-SL08(1S)-50	50
EL-SL08(1L)-60	60
EL-SL08(1L)-70	70
EL-SL08(1L)-80	80

CERTIFICATE

No. U6 092974 0004 Rev. 00

EL-SL08(2)-90	90
EL-SL08(2)-100	100
EL-SL08(2)-120	120
EL-SL08(2)-150	150
EL-SL08(3)-150	150
EL-SL08(3)-180	180
EL-SL08(3)-200	200
EL-SL09(1S)-30	30
EL-SL09(1L)-50	50
EL-SL09(1L)-60	60
EL-SL09(1L)-80	80
EL-SL09(2)-100	100
EL-SL09(2)-120	120
EL-SL09(3)-120	120
EL-SL09(3)-150	150
EL-SL09(3)-180	180
EL-SL09(4)-200	200
EL-SL09(4)-240	240
EL-SL09(4)-280	280
EL-SL10(1)-30	30
EL-SL10(1)-40	40
EL-SL10(1)-50	50
EL-SL10(1)-60	60
EL-SL10(1)-70	70
EL-SL10(1)-80	80
EL-SL10(2)-90	90
EL-SL10(2)-100	100
EL-SL10(2)-120	120
EL-SL10(3)-150	150
EL-SL10(3)-180	180
EL-SL10(3)-200	200
EL-SL18MA-20	20
EL-SL18MA-30	30
EL-SL18MA-40	40
EL-SL18MA-50	50
EL-SL18MA-60	60
EL-SL18MA-70	70
EL-SL18MA-80	80
EL-SL18MA-90	90
EL-SL18MB-20	20
EL-SL18MB-30	30
EL-SL18MB-40	40
EL-SL18MB-50	50
EL-SL18MB-60	60
EL-SL18LA-90	90
EL-SL18LA-100	100
EL-SL18LA-120	120
EL-SL18LA-150	150
EL-SL18LA-160	160

CERTIFICATE

No. U6 092974 0004 Rev. 00

EL-SL18LB-80	80
EL-SL18LB-90	90
EL-SL18LB-100	100
EL-SL18LB-120	120
EL-SL58(S)-20	20
EL-SL58(S)-30	30
EL-SL58(S)-40	40
EL-SL58(S)-50	50
EL-SL58(S)-60	60
EL-SL58-30	30
EL-SL58-40	40
EL-SL58-50	50
EL-SL58-60	60
EL-SL58-70	70
EL-SL58-80	80
EL-SL58-90	90
EL-SL58-100	100
EL-SL58-120	120
EL-GL01-20	20
EL-GL01-30	30
EL-GL01-40	40
EL-GL01-50	50
EL-GL01-60	60
EL-GL01-80	80
EL-GL01-100	100
EL-SL20A(S)-30	30
EL-SL20A(S)-40	40
EL-SL20A(S)-50	50
EL-SL20A(M)-60	60
EL-SL20A(M)-80	80
EL-SL20A(M)-90	90
EL-SL20A(L)-100	100
EL-SL20A(L)-120	120
EL-SL20A(L)-150	150
EL-SL20A(L)-160	160
EL-GL607-15	15
EL-GL607-20	20
EL-GL607-25	25
EL-GL607-30	30

**Tested
according to:**

EN 60598-1:2015/A1:2018
EN 60598-2-3:2003/A1:2011
EN 62471:2008

**Production
Facility(ies):**

092974