



<b>Prüfbericht</b> <i>Test report</i>			<b>Auftragsnr. / order no.:</b> 244268555 <b>Berichtsnr. / report no.:</b> 60397072 001		
<b>Auftraggeber</b> <i>client:</i>			<b>Auftragsdatum /</b> <i>date of order:</i> 23.09.2020		
<b>NISKO GROUP LTD.</b> 41 HAMAAYAN MODI'IN, Israel.			<b>AG-Referenz-Nr. /</b> <i>client reference no.:</i> -		
<b>Inhalt des Auftrags</b> <i>content of order:</i>			Electrical and Photometric Measurement to LM-79-08		
<b>Prüfgrundlagen</b> <i>test specifications:</i>			IES LM-79-08		
<b>Prüfgegenstand</b> <i>test item:</i>			LED Street Light		
<b>Bezeichnung</b> <i>identification:</i>			EL-SL18LA-120W CLASS I T2S TFB 4000K		
<b>Eingang Prüfgegenstand</b> <i>receipt of test item:</i>			23.09.2020		
<b>Prüfgegenstands-Nr.</b> <i>test item no.:</i>			A002073542-018		
<b>Prüfzeitraum und -ort</b> <i>period of test and location:</i>			23.09.2020-28.08.2020, Shanghai Xingshang Photoelectric technology Co., Ltd		
<b>Prüflaboratorium</b> <i>testing laboratory:</i>			TÜV Rheinland (Shanghai) Co., Ltd.		
<b>Prüfergebnis</b> <i>test result *):</i>			N/A		
<b>Sonstiges / other aspects:</b>			<i>Tests at client's request and there is only test data available in this report and no further ratings for test result. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government..</i>		
<b>geprüft / tested by:</b>			<b>kontrolliert / reviewed by:</b>		
06.11.2020 Fernando Dai /PE			06.11.2020 Alex Yan /Reviewer		
					
<b>Datum</b> <i>Date</i>	<b>Name/Stellung</b> <i>Name/Position</i>	<b>Unterschrift</b> <i>Signature</i>	<b>Datum</b> <i>Date</i>	<b>Name/Stellung</b> <i>Name/Position</i>	<b>Unterschrift</b> <i>Signature</i>
<p><b>Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.</b> Dieser Prüfbericht wird neben der Dokumentation der Einzelergebnisse durch eine Bewertung des Produktes ergänzt. Diese Bewertung stützt sich nicht in jedem Fall auf ein durchgängiges Punkte- oder Bewertungssystem, wohl aber auf die Erfahrung der Experten des TÜV Rheinland. Die Bewertung ist keine rechtsverbindliche Interpretation der Mängelfreiheit eines Produktes.</p> <p><b>This test report relates to the a. m. test sample. Without permission of the testing laboratory this report is not permitted to be duplicated in extracts.</b> This test report does not entitle to carry any safety or other mark on this product. Besides single test results this test report contains an assessment of the product. This assessment is not always based on a continuous rating system, but on experience of the experts of TÜV Rheinland Group. This assessment is not a legally binding interpretation of the flawlessness of the product.</p>					

**General Remarks:**

Factory: NINGBO SKYZON ENERGY CO., LTD  
Address: No.19, Ke San Road, Ninghai 315600, Ningbo China


**Product Information**

Model name	Sample number	Rated voltage, frequency (V, Hz)	Nominal CCT (K)	Rated Wattage (W)	Type of LED Chip
EL-SL18LA-120W CLASS I T2S TFB 4000K	A002073542-018	200-240Vac, 50/60Hz	4000K	120W	LUMILEDS LUXEON 5050- L1504070500600 000 14S2P 2MODULE

<b>Test conditions:</b>	
<b>Number of hours operated prior to measurement</b>	<b><u>0</u> hours</b>
<b>Total operating time of the product for measurements including stabilization</b>	<b><u>2</u> hours and <u>30</u> minutes</b>
<b>Ambient</b>	<b>25 °C</b>
<b>Orientation</b>	<b>As normal use</b>
<b>Stabilization time</b>	<b><u>90</u> minutes</b>
<b>Test method</b>	<b>Type C Gonio-photometer with moving mirror was used for photometric measurement (C- <math>\gamma</math> system)</b>
<b>Designation and type of reference standard lamp</b>	<b>For standard luminous flux lamp</b> <b>Current: 1.389A</b> <b>Reference luminous flux: 4310 lm</b> <b>Lamp type: Filament lamp</b> <b>Intensity distribution type: Omni-directional</b>
	<b>For standard luminous intensity lamp:</b> <b>Current: 9.6217A</b> <b>Reference luminous intensity: 571.9 cd</b> <b>Lamp type: Tungsten halogen lamp</b> <b>Intensity distribution type: Omni-directional</b>
<b>Correction factor applied</b>	<b>N/A</b>
<b>Photometric distance</b>	<b>3.0m for photometric measurement</b>
	<b>8.98m for luminous intensity measurement</b>

<b>Measured Results</b>	
	EL-SL18LA-120W CLASS I T2S TFB 4000K
<b>Total luminous flux (lm)</b>	17927
<b>Input wattage (W)</b>	120.878
<b>Input current (A)</b>	0.5549
<b>Frequency (Hz)</b>	50
<b>Power factor</b>	0.9871
<b>Efficacy (Lm/W)</b>	148.30
<b>CCT (K)</b>	3929
<b>Chromaticity x</b>	0.3827
<b>Chromaticity y</b>	0.3748
<b>Chromaticity u'</b>	0.2263
<b>Chromaticity v'</b>	0.5006
<b>CRI</b>	73.6
<b>R9</b>	0
<b>Du'v' (Max.)</b>	-0.00126
<b>THDI(%)</b>	4.095
<b>LCS BUG Rating</b>	B2-U0-G2, Full cut-off



**-The following in this page is blank-**

**Spectral power distribution: (Clause 10 of LM-79)**
**EL-SL18LA 120W CLASS I T2S TFB 4000K**

**Luminous Intensity Distribution, Ambient temperature: 25°C (Clause 10 of LM-79)**

Description	Data
<b>Model</b>	EL-SL18LA-120W CLASS I T2S TFB 4000K
<b>Test voltage (V)</b>	220VAC
<b>Test current (A)</b>	0.5549
<b>Test wattage (W)</b>	120.878
<b>Frequency (Hz)</b>	50
<b>Power factor</b>	0.9871
<b>Central luminous intensity (cd)</b>	2982
<b>Max. luminous intensity(cd)</b>	13066.1 (C=65, Gamma=62)

**For the distribution curve see next page.**
**-The following in this page is blank-**

DATA OF LAMP		PHOTOMETRIC DATA				Eff: 148.30 lm/W
MODEL	EL-SL18LA	Imax(cd)	13066.1	$\eta$ street_up(%)	0.0	
NOMINAL POWER(W)	120	LOR(%)	100.0	$\eta$ street_down(%)	84.3	
RATED VOLTAGE(V)	220-240	TOTAL FLUX(lm)	17927	$\eta$ house_up(%)	0.0	
NOMINAL FLUX(lm)	17926.8	MAXIMUM @ (C, $\gamma$ )	65, 62.0	$\eta$ house_down(%)	15.7	
LAMPS INSIDE	1	$\eta$ up(%)	0.0	76 FLASHAREA(m2)	0.05000	
TEST VOLTAGE(V)	220	$\eta$ down(%)	100.0	SLI	23.417	



**Zonal Lumen Summary and Percentages****Zonal Lumen Summary**

Zone	Lumens	%Lamp	%Fixt
0-20	1293.16	7.20	7.20
0-30	3304.38	18.40	18.40
0-40	6491.42	36.20	36.20
0-60	13831.21	77.20	77.20
0-80	17816.98	99.40	99.40
0-90	17926.82	100.00	100.00
10-90	17634.36	98.40	98.40
20-40	5198.27	29.00	29.00
20-50	8939.14	49.90	49.90
40-70	10215.81	57.00	57.00
60-80	3985.77	22.20	22.20
70-80	1109.76	6.20	6.20
80-90	109.84	0.60	0.60
90-110	0.00	0.00	0.00
90-120	0.00	0.00	0.00
90-130	0.00	0.00	0.00
90-150	0.00	0.00	0.00
90-180	0.00	0.00	0.00
110-180	0.00	0.00	0.00
0-180	17926.82	100.00	100.00

Total Luminaire Efficiency = 100.00%




## Luminous Intensity Distribution Data


Total View EL-SL18LA 120W CLASS I T2S TFB 300KIES																									
Vertical Angles		Keywords					Candela										3D								
		Horizontal Angles					Multiplier=1	Max Cd																	
		0	5	10	15	20	25		30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	
39	8971.02	8974.57	8993.38	9176.30	9367.91	9609.19	9775.18	9949.99	9989.77	9912.98	9748.57	9413.46	9010.98	8530.39	8070.23	7637.02	7196.94	6487.92	5688.42	5442.89	2282.08	1426.28	105		
40	8522.83	8617.36	8668.54	8862.72	9087.78	9412.98	9642.64	9907.87	10026.43	10020.84	9893.95	9573.98	9164.41	8659.07	8173.49	7735.92	7325.38	6718.28	5671.36	5448.24	2255.96	1399.70	70		
41	8134.29	8237.53	8286.04	8543.34	8753.85	9154.34	9641.63	9811.99	10012.56	10000.86	10071.01	9735.63	9334.74	8796.39	8277.95	7835.92	7455.70	6652.02	5763.11	5595.40	2237.93	1375.03	65		
42	7701.38	7825.51	7862.90	8114.83	8737.37	9305.03	9956.27	9943.61	10116.30	10123.09	9898.18	9501.20	8932.63	8307.26	7934.54	7583.00	6887.06	5843.55	5558.87	2210.06	1352.62	60			
43	7277.52	7395.25	7463.52	7715.37	7986.55	8472.74	8985.44	9440.69	9933.07	10097.61	10193.80	10056.89	9666.69	9075.68	8582.16	8033.24	7176.88	6040.50	5948.55	2561.07	1286.06	55			
44	6802.57	7009.59	7080.01	7312.99	7589.12	8099.73	8593.53	9184.59	9663.92	10031.79	10231.94	10191.54	9890.16	9223.45	8626.10	8135.87	7860.94	7181.42	6105.11	5564.67	2165.48	1309.63	50		
45	6387.32	6582.44	6674.18	6932.09	7214.12	7720.00	8258.21	8886.05	9436.27	9961.93	10232.06	10305.07	9934.36	9376.64	8782.33	8248.77	8023.62	7343.85	6126.31	5633.37	2134.06	1294.00	45		
46	6001.63	6137.70	6192.93	6513.77	6794.90	7343.80	7948.01	8596.58	9161.27	9766.09	10189.68	10387.23	10159.29	9545.90	8916.18	8384.76	8213.63	7526.94	6225.16	5667.12	2115.83	1278.40	40		
47	5447.11	5608.57	5678.70	6027.77	6362.43	6937.50	7546.87	8203.59	8864.11	9561.91	10105.37	10347.10	10317.81	9731.16	9098.18	8546.61	8431.23	7737.93	6330.37	5671.67	2089.85	1266.86	35		
48	4916.70	5037.77	5160.07	5500.22	5896.39	6507.67	7132.69	7857.78	8558.85	9321.72	9983.21	10468.80	10479.07	9929.81	9265.79	8745.34	8691.83	7981.04	6448.78	5833.42	2054.63	1251.51	30		
49	4377.64	4483.86	4593.34	4965.32	5374.62	6027.43	6692.67	7502.33	8225.20	9053.28	9821.12	10474.53	10609.31	10146.49	9251.29	8898.36	8894.02	8263.98	6588.09	5957.71	2020.32	1230.37	25		
50	3827.53	3984.84	4047.15	4415.31	4803.46	5503.36	6219.41	7114.66	7888.46	8768.69	9623.98	10452.62	10743.02	10387.33	9795.21	9297.87	9357.45	8852.59	6754.48	6200.95	1979.37	1207.87	20		
51	3331.34	3485.81	3516.80	3903.89	4234.86	4941.68	5692.66	6682.91	7535.79	8474.92	9431.64	10404.39	10869.03	10648.86	10131.10	9310.38	9658.56	9754.67	8682.54	6947.71	3648.56	1953.71	1190.73	15	
52	2871.03	2988.53	3067.57	3393.06	3726.67	4384.96	5133.03	6201.07	7156.17	8178.11	9227.45	10345.56	10981.14	10925.11	10467.54	10072.09	10176.68	9294.07	7150.38	3672.66	1931.90	1170.05	10		
53	2454.43	2559.09	2646.53	2923.02	3225.67	3849.31	4584.49	5671.29	6741.34	7885.34	9022.32	10234.01	11083.76	11225.43	10842.21	10508.36	10619.18	9654.46	7347.22	3202.12	1925.53	1153.82	5		
54	2049.29	2147.24	2242.89	2517.36	2727.81	3314.25	4011.46	5104.97	6277.17	7583.51	8815.45	10156.65	11175.80	11532.93	11271.31	10934.38	11017.26	9991.56	7524.03	3718.11	1918.95	1135.14	0		
55	1736.75	1820.25	1895.36	2149.37	2379.03	2837.13	3445.49	4534.09	5751.73	7258.02	8618.86	10062.92	11257.56	11838.65	11671.66	11341.89	11392.67	10269.06	7638.92	3724.95	1916.21	1114.22	-5		
56	1582.25	1599.89	1672.19	1823.18	2000.24	2423.29	2938.05	3961.48	5179.70	6866.24	8418.56	9995.22	11319.99	12128.60	12401.41	11693.44	11714.18	10493.79	7689.30	3706.92	1911.06	1090.84	-10		
57	1429.88	1442.45	1529.24	1624.28	1743.77	2047.08	2530.60	3407.06	4601.06	6413.54	8171.12	9875.29	11384.32	12396.38	12651.81	11992.68	11962.69	10642.74	7671.89	3670.91	1907.11	1059.34	-15		
58	1277.42	1314.07	1386.68	1479.73	1584.99	1762.05	2132.19	2908.27	4027.11	5887.07	7880.68	9830.52	11467.73	12638.43	12599.78	12201.46	112127.82	10692.49	7628.97	3625.38	1881.87	1026.65	-20		
59	1161.66	1197.93	1264.59	1390.58	1463.60	1587.81	1735.66	2454.75	3487.93	5289.58	7495.89	9743.52	11582.83	12841.62	12724.47	12303.39	12208.04	10697.09	7557.652	3584.45	1831.97	987.95	-25		
60	1054.57	1094.77	1150.64	1261.65	1356.01	1471.01	1602.87	2041.37	2977.74	4705.04	7016.47	9605.75	11711.68	12986.72	12721.97	12293.92	12199.09	10636.18	7477.64	3539.46	1771.80	942.56	-30		
61	967.15	996.11	1050.35	1171.64	1249.35	1369.06	1489.77	1730.08	2504.41	4163.48	6441.46	9380.81	11857.09	13062.48	12600.77	12190.58	11222.94	10564.48	7402.27	3468.65	1709.85	903.58	-35		
62	892.26	931.39	959.36	1069.78	1155.74	1271.28	1378.13	1528.79	2070.74	3675.01	5837.94	901.37	11546.94	<b>13065.10</b>	12369.97	11989.38	11980.77	10427.95	7302.32	3377.67	1645.62	864.42	-40		
63	795.33	820.09	871.14	967.77	1061.93	1175.78	1275.27	1399.27	1770.57	3167.99	5267.25	8954.33	11951.57	13017.88	12924.93	11717.80	11749.87	10247.48	7144.58	3241.78	1562.31	813.29	-45		
64	718.60	750.65	790.86	883.31	941.44	1090.76	1219.27	1302.31	1528.53	2665.44	4713.89	8010.14	111788.86	12942.13	11781.71	11377.56	11422.11	10078.08	6957.53	3100.93	1475.54	753.94	-50		
65	657.49	686.70	722.71	798.21	881.14	1004.11	1108.45	1219.19	1390.95	2224.99	4202.14	7410.57	112423.17	12755.12	11448.33	10913.64	10960.42	9678.45	6691.64	2977.85	1397.89	639.48	-55		
66	607.78	633.93	670.81	726.68	807.82	917.80	1027.28	1140.54	1278.56	1862.40	3684.29	6808.10	10845.74	12471.36	10610.42	10271.92	10337.32	9399.63	6402.90	2844.33	1306.36	643.63	-60		
67	563.49	592.91	625.55	668.50	742.56	838.97	946.71	1061.62	1170.16	1573.88	3158.71	6222.13	10040.81	11960.18	10667.80	9460.77	9602.56	8937.60	6392.16	2718.95	1210.18	595.50	-65		
68	525.88	555.34	583.17	617.44	694.75	811.65	870.91	987.23	1083.59	1388.08	2611.89	5667.56	9005.33	11208.49	9394.29	8642.43	8794.74	8388.53	5748.21	2593.83	1116.92	566.35	-70		
69	452.80	480.98	512.36	572.96	634.75	719.89	807.24	918.16	1006.55	1247.41	2151.24	5079.86	7870.69	10218.37	8344.50	7688.47	7916.81	7752.20	5320.76	2436.06	1022.30	540.74	-75		
70	461.87	489.67	506.17	532.90	613.41	663.90	752.75	852.30	934.44	1231.73	1765.39	4478.41	6759.06	9070.38	8933.87	8131.30	8679.77	7085.92	5274.54	2246.82	937.54	510.67	-80		
71	431.57	447.60	472.60	498.50	557.49	617.80	707.72	792.36	877.64	1036.49	1421.91	3766.70	6385.95	7910.13	7900.60	6572.16	6772.70	5988.99	4267.64	3041.45	826.04	479.27	-85		

Tool_View EL-SL18LA 120W CLASS I T2S TFB 4000K.IES																							
Keywords				Candela										20					30				
Vertical Angles		Horizontal Angles		Multiplier=1	Max Cd																		
255	260	265	270	275	280	285	290	295	300	305	310	315	320	325	330	335	340	345	350	355	360	↕	
45	1294.00	2138.64	3563.37	6126.01	7343.85	8023.62	8248.77	8762.33	9376.64	9999.36	10306.27	10231.06	9921.63	9436.27	8886.05	8218.21	7720.00	7214.12	6932.09	6674.18	6582.44	6487.32	
46	1278.40	2118.63	3567.12	6125.16	7526.94	8213.63	8384.76	8916.18	9545.90	10194.29	10387.23	10189.66	9766.61	9161.27	8596.58	7948.01	7434.80	6934.90	6513.77	6192.53	6170.30	6001.63	
47	1266.86	2089.55	3571.67	6330.37	7737.59	8431.23	8546.61	9088.10	9731.16	10317.81	10441.00	10105.37	9661.81	8864.11	8203.59	7467.50	6937.50	6363.27	6027.47	5678.70	5608.57	5447.11	
48	1251.50	2054.63	3583.42	6448.78	7981.04	8691.83	8745.64	9285.79	9929.81	10471.07	10468.80	9983.21	9321.72	8558.85	7857.70	6907.67	6507.67	5896.39	5505.22	5160.07	5037.73	4917.60	
49	1230.37	2020.26	3597.71	6599.00	8263.98	8994.02	8989.36	9521.29	10146.49	10609.31	10474.53	9821.12	9053.28	8225.20	7502.33	6699.67	6027.43	5372.84	4960.31	4593.34	4483.86	4376.74	
50	1207.87	1979.36	3620.95	6784.58	8582.59	9357.45	9297.87	9795.21	10387.33	10743.02	10452.62	9623.96	8768.69	7888.46	7116.62	6219.41	5503.36	4803.46	4410.37	4047.15	3964.84	3827.53	
51	1184.73	1933.17	3648.56	6981.66	8936.64	9787.67	9698.56	10191.30	10648.86	10889.03	10484.34	9411.33	8471.43	7535.79	6701.92	5870.26	5044.68	4234.86	3905.89	3516.86	3445.91	3331.84	
52	1170.06	1931.30	3648.56	7150.38	9171.58	10072.09	10072.09	10471.54	10935.11	10981.14	10334.55	9227.45	8178.11	7166.17	6301.07	5133.03	4384.56	3736.57	3318.86	3067.57	2988.53	2871.03	
53	1153.82	1925.37	3702.12	7347.22	9654.46	10616.58	10616.58	10862.21	11225.43	10983.76	10249.01	9032.32	7885.34	6741.34	5871.29	4984.49	3849.31	3276.82	2923.02	2646.53	2559.09	2454.43	
54	1135.14	1918.95	3718.11	7524.03	9991.56	11017.26	10934.38	11271.31	11532.93	11175.80	10156.65	8951.85	7850.51	6727.17	5104.97	4011.46	3314.25	2772.81	2517.96	2242.89	2147.24	2049.29	
55	1114.22	1916.20	3724.95	7638.92	10269.00	11332.67	11314.39	11671.66	11838.65	11255.96	10062.92	8818.86	7758.02	6571.73	4939.49	3445.49	2837.13	2379.03	2149.37	1885.36	1820.25	1736.75	
56	1090.84	1911.06	3706.92	7689.30	10493.79	11714.18	11694.34	12041.41	12128.60	11319.99	9975.22	8418.56	6866.24	5179.70	3961.48	2938.05	2423.20	2000.20	1826.13	1672.19	1597.89	1582.25	
57	1059.34	1911.07	3670.82	7681.89	10642.74	11962.69	11892.68	12365.81	12396.38	11334.92	9895.29	8171.12	6413.54	4601.06	3407.06	2523.60	2048.08	1743.77	1624.28	1529.44	1442.95	1429.98	
58	1026.65	1881.87	3625.38	7628.97	10697.49	12127.82	12201.46	12599.78	12638.43	11467.73	9830.58	7980.68	5887.07	4027.13	2908.27	2132.19	1762.05	1584.99	1490.73	1368.68	1314.07	1277.72	
59	987.95	1831.18	3584.45	7557.62	10692.09	12208.04	12303.39	12724.47	12841.62	11582.83	9743.52	7495.89	5289.58	3487.93	2545.75	1795.66	1587.81	1436.58	1379.58	1264.59	1197.93	1161.46	
60	942.56	1771.80	3539.46	7477.64	10636.18	12199.99	12299.92	12721.91	12986.72	11711.68	9605.75	7016.47	4705.24	2977.74	2041.31	1602.87	1471.01	1356.01	1271.65	1150.64	1094.77	1054.57	
61	903.58	1709.85	3468.65	7402.27	10540.48	12122.94	12190.58	12600.77	13062.48	11857.09	9380.81	6441.46	4163.48	2504.41	1730.08	1378.77	1368.06	1249.35	1161.74	1050.35	996.11	967.15	
62	864.42	1645.62	3377.67	7302.32	10427.75	11980.77	11989.38	12369.97	13065.10	11946.94	9031.57	5837.94	3675.01	2070.74	1528.79	1378.13	1271.128	1155.14	1059.78	989.36	931.90	882.26	
63	813.29	1562.31	3241.78	7142.58	10278.48	11749.87	11781.10	12092.43	13017.88	11951.57	8554.33	5267.26	3167.99	1770.57	1399.27	1275.17	1175.78	1061.93	967.77	914.14	820.09	795.33	
64	753.94	1475.54	3100.93	6957.53	10078.08	11422.11	11377.56	11781.71	12942.13	11788.86	8014.10	4713.89	2665.44	1528.83	1202.31	1190.27	1090.76	971.44	883.31	790.76	750.65	718.60	
65	698.48	1397.89	2977.65	6691.64	9786.45	11062.42	11031.64	11448.33	12755.12	11423.17	7410.50	4224.94	2224.99	1390.95	1319.19	1108.45	1004.11	884.18	798.21	722.71	686.70	657.49	
66	643.69	1306.98	2844.93	6402.90	9399.23	10337.92	10271.92	11060.42	12471.36	11045.74	6808.40	3684.29	1862.40	1278.56	1140.54	1027.28	917.50	807.62	726.68	670.81	633.93	607.78	
67	595.50	1210.18	2718.95	6093.65	8937.60	9602.56	9640.77	10567.80	11960.18	11040.81	6222.19	3157.18	1573.88	1170.16	1160.52	946.71	838.87	742.56	668.50	625.55	592.31	563.49	
68	566.35	1116.32	2589.83	5748.21	8388.53	8794.74	8842.43	9994.29	11208.49	9005.93	5667.56	2611.89	1388.08	1083.59	987.23	870.91	775.61	684.07	617.44	583.17	558.34	525.88	
69	540.74	1022.30	2436.06	5320.76	7752.20	7916.81	7882.43	9344.50	10218.37	7870.89	5079.85	2511.24	1247.41	1006.55	918.16	807.24	718.59	634.75	572.96	542.80	518.10	492.88	
70	510.67	937.54	2246.82	4862.07	7031.30	7065.92	7217.33	8593.87	9070.18	6589.06	4479.41	1765.91	1131.16	938.34	852.00	752.75	663.84	591.41	532.90	506.17	480.67	461.87	
71	479.33	835.09	2041.45	4376.94	6288.92	6273.70	6221.96	7800.50	7810.13	6575.96	3795.10	1431.91	1036.49	877.54	791.25	707.72	617.50	552.49	498.58	473.60	447.40	431.52	
72	447.06	738.29	1823.41	3861.24	5962.76	5519.37	5423.63	7021.84	6958.97	4759.65	3035.05	1258.06	961.54	826.94	736.48	670.90	579.55	512.91	468.95	440.95	417.43	402.96	
73	415.51	646.86	1602.26	3361.23	4871.95	4832.36	5026.71	6178.34	5993.85	3989.30	2387.75	1100.88	896.73	780.10	684.46	644.40	540.25	478.49	424.04	409.61	376.94	367.78	
74	380.56	595.65	1404.92	2833.08	4248.13	4228.26	4281.02	5335.43	4667.32	3318.18	1857.79	955.69	833.02	728.46	632.37	616.46	512.02	445.95	410.59	374.33	336.41	316.70	
75	342.09	482.38	1193.61	2335.39	3610.08	3636.10	4286.16	4518.44	3477.47	2695.87	1412.93	857.06	766.34	670.42	582.21	586.26	477.16	410.90	379.08	338.95	291.21	268.70	
76	301.47	410.09	975.96	1991.59	3047.39	3087.08	3133.99	3764.44	3161.12	2217.60	1077.34	767.05	696.60	605.15	534.06	553.07	443.80	376.99	348.66	307.52	264.52	236.53	
77	262.57	377.81	770.73	1634.63	2489.63	2637.95	2732.97	3367.17	2675.96	1745.60	981.17	679.84	629.64	534.47	493.84	510.74	412.20	346.41	316.27	276.24	237.38	208.16	





## STREETLIGHT ISOCANDELA DIAGRAM




### Classification:



IES: Type II - Short  
CIE: Average - Intermedia  
IES: Full cut-off  
CIE: Semi-cut-off  
Max. At 80: 92.32cd/klm  
Max. At 90: 0cd/klm  
Max. 80-90: 92.32cd/klm


ISOCANDELA DIAGRAM		
UNIT		cd
Imax=100%		13066
90%		11759
80%		10453
70%		9146
60%		7840
50%		6533
40%		5226
30%		3920
20%		2613
10%		1307
5%		653

## ISOCANDELA DIAGRAM



## COEFFICIENT OF UTILIZATION CURVE AND ISOLUX DIAGRAM




**IESNA Luminaire Flux Distribution Table:**

Zone	Lumens	Luminaire %
FL - Front-Low(0-30)	2618.1	14.6
FM - Front-Medium(30-60)	8972.3	50.0
FH - Front-High (60-80)	3430.3	19.1
FVH - Front-Very High(80-90)	97.635	0.5
Total Forward Light	15118	84.3

BL - Back-Low(0-30)	686.25	3.8
BM - Back-Medium(30-60)	1554.6	8.7
BH - Back-High(60-80)	555.48	3.1
BVH - Back-Very High(80-90)	12.202	0.1
Total Back Light	2808.5	15.7

UL - Uplight-Low(90-100)	0	0.0
UH - Uplight-High(100-180)	0	0.0
Total Up Light	0	0.0

BUG(Back,Up,Glare) Rating	B2-U0-G2
---------------------------	----------

Zone	Downward Lumens	Upward Lumens	Total Lumens
House Side	2808.5	0	2808.5
Street Side	15118	0	15118

**Photo**



**overview**



**Back-side**





LED Driver + SPD



Optical lens





**LED module**

United States Department of Commerce  
National Institute of Standards and Technology



## Certificate of Accreditation to ISO/IEC 17025:2017

NVLAP LAB CODE: 201063-0

**TUV Rheinland (Shanghai) Co., Ltd**  
Jing'An District, Shanghai  
China


*is accredited by the National Voluntary Laboratory Accreditation Program for specific services,  
listed on the Scope of Accreditation, for:*

### Energy Efficient Lighting Products

*This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.  
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality  
management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).*

2020-06-09 through 2021-06-30  
Effective Dates



  
For the National Voluntary Laboratory Accreditation Program